


















Рисунок	Наименование	Размер	Кол-во в уп.	Артикул	Цена, €
	Prestabo труба из оцинкованной стали 1103	12 x 1,2	600 m	650339	2,70
		15 x 1,2	600 m	559441	2,76
		18 x 1,2	240 m	559458	3,23
		22 x 1,5	420 m	559465	4,30
		28 x 1,5	240 m	559472	6,03
		35 x 1,5	180 m	559496	7,78
		42 x 1,5	120 m	559489	10,02
		54 x 1,5	60 m	559502	12,97
	Prestabo XL труба из оцинкованной стали 1103XL	64,0 x 2,0	60 m	598327	27,81
		76,1 x 2,0	30 m	598334	33,28
		88,9 x 2,0	30 m	598341	37,69
		108,0 x 2,0	30 m	598358	44,09
	Prestabo труба из оцинкованной стали в PP оболочке 1104	15 x 1,2	600 m	577117	4,69
		18 x 1,2	240 m	577124	5,19
		22 x 1,5	420 m	577131	6,77
		28 x 1,5	240 m	577148	8,93
		35 x 1,5	180 m	577551	11,18
		42 x 1,5	120 m	577568	14,39
		54 x 1,5	60 m	577575	18,48
	Prestabo приварное соединение нелегированная сталь 1105	12 x 17,2	5	641856	10,79
		15 x 17,2	5	641863	11,42
		18 x 21,3	5	641870	12,54
		22 x 26,9	5	641887	13,30
		28 x 33,7	5	641894	14,61
	Prestabo-обвод из оцинкованной стали 1109.3	12	10	605186	3,97
		15	10	601232	4,56
		18	10	601249	4,96
		22	10	601256	5,75
	Prestabo-угол 90° с SC-Contur, из оцинкованной стали 1116	12	10	605162	3,22
		15	10	558123	3,32
		18	10	558130	3,79
		22	10	558147	4,54
		28	5	558154	6
		35	5	558161	11,9
		42		558178	18,86
		54		558185	25,27
	Prestabo XL- угол 90°, с SC-Contur, из оцинкованной стали 1116XL	64,0		597573	61,16
		76,1		597566	79,66
		88,9		597580	95,41
		108,0		597597	131,48
	Prestabo-угол 90°, с SC-Contur, из оцинкованной стали 1116.1	12	10	605179	3,22
		15	10	558192	3,32
		18	10	558208	3,79
		22	10	558215	4,54
		28	5	558222	6
		35	5	558239	11,9
		42		558246	18,86

		54		558253	25,27
	Prestabo XL-угол 90°, с SC-Contur, из оцинкованной стали 1116.1XL	64,0		597641	72,29
		76,1		597658	81,29
		88,9		597665	97,36
		108,0		597672	134,16
	Prestabo-угол 45°, с SC-Contur, из оцинкованной стали 1126	12	10	604448	3,28
		15	10	558260	3,49
		18	10	558277	3,95
		22	10	558284	4,54
		28	5	558291	6
		35	5	558307	11,9
		42		558314	18,86
		54		558321	25,27
	Prestabo XL-угол 45°, с SC-Contur, из оцинкованной стали 1126XL	64,0		597603	66,72
		76,1		597610	79,19
		88,9		597627	94,97
		108,0		597634	130,93
					0
	Prestabo-угол 45°, с SC-Contur, из оцинкованной стали 1126.1	12	10	605155	3,33
		15	10	558338	3,35
		18	10	558345	3,97
		22	10	558352	4,6
		28	5	558369	5,98
		35	5	558376	11,9
		42		558383	18,84
		54		558390	25,01
	Prestabo XL-угол 45°, с SC-Contur, из оцинкованной стали 1126.1XL	64,0		597689	69,5
		76,1		597696	81,08
		88,9		597702	96,94
		108,0		597719	135,3
					0
	Prestabo-угловой переход 90°, с SC-Contur, из оцинкованной стали с наружной резьбой 1114	12 x 3/8	5	605346	7,66
		12 x 1/2	5	648640	7,95
		15 x 3/8	5	558406	8,07
		15 x 1/2	5	558413	8,43
		18 x 1/2	5	558420	9,14
		22 x 3/4	5	558437	11,94
		28 x 1	5	558444	15,2
		35 x 1 1/4	5	558451	22,76
		42 x 1 1/2		558468	40,11
		54 x 2		558475	51,22
	Prestabo-угловой переход 90°, с SC-Contur, из оцинкованной стали с наружной резьбой 1114.1	12 x 3/8	5	605360	9,5
		12 x 1/2	5	649951	10,33
		15 x 3/8	5	559519	9,2
		15 x 1/2	5	559526	9,49
		18 x 1/2	5	559533	10,83
		22 x 3/4	5	559540	13,11
	Prestabo-угловой переход 90°, с SC-Contur, из оцинкованной стали с внутренней резьбой 1114.5	12 x 3/8	5	605353	7,66
		12 x 1/2	5	651398	7,95
		15 x 1/2	5	601300	8,39
		18 x 1/2	5	601317	11,65
		22 x 3/4	5	601324	11,55
		28 x 1	5	601331	14,68
	Prestabo-угловой	12 x 1/2	5	651404	10,75



переход 90°,
с SC-Contur, из
оцинкованной стали с
внутренней резьбой
1114.2

15 x 1/2	5	656478	11,63
22 x 1/2	5	601263	12,23
22 x 3/4	5	601270	12,8
28 x 1/2	5	601287	15,75
28 x 3/4	5	601294	16,94
28 x 1	5	642310	18,26







Prestabo-тройник
с SC-Contur, из
оцинкованной стали
1118









12	10	605193	6
12 x 15 x 12	10	605216	6,63
15	10	558611	6,13
15 x 12 x 15	5	605209	6,46
15 x 18 x 15	5	642549	9,27
15 x 22 x 15	10	558857	7,4
18	10	558628	6,63
18 x 12 x 18	10	648596	6,76
18 x 15 x 18	10	558680	6,63
18 x 22 x 18	10	558864	7,49
22	10	558635	7,11
22 x 12 x 22	10	648602	7,4
22 x 15 x 15	5	642617	14,29
22 x 15 x 22	10	558697	7,01
22 x 18 x 18	5	642648	16,63
22 x 18 x 22	10	558703	7,15
22 x 22 x 15	5	642655	13,7
22 x 28 x 22	10	558871	10,4
28	5	558642	9,49
28 x 15 x 28	5	558710	10
28 x 18 x 28	5	558727	10,16
28 x 22 x 22	5	642693	17,36
28 x 22 x 28	5	558734	10,29
35	5	558659	14,75
35 x 15 x 35	5	558741	14,43
35 x 18 x 35	5	558758	14,6
35 x 22 x 35	5	558765	14,87
35 x 28 x 35	5	558772	15,12
42		558666	21,79
42 x 15 x 42		642556	19,74
42 x 22 x 42		558789	20,39
42 x 28 x 42		558796	20,64
42 x 35 x 42		558802	20,14
54		558673	26,31
54 x 15 x 54		642570	23,86
54 x 22 x 54		558819	25,18
54 x 28 x 54		558826	24,47
54 x 35 x 54		558833	25,16
54 x 42 x 54		558840	26,31









Prestabo XL-тройник
с SC-Contur, из
оцинкованной стали
1118XL












64,0		597801	133,43
64,0 x 28 x 64,0		597849	140,23
64,0 x 35 x 64,0		597856	149,72
64,0 x 42 x 64,0		597863	160,4
64,0 x 54 x 64,0		597870	170,59
76,1		597818	151,55
76,1 x 28 x 76,1		597887	152,41
76,1 x 35 x 76,1		597894	156,86
76,1 x 42 x 76,1		597900	161,57
76,1 x 54 x 76,1		597917	168,9








		76,1 x 64,0 x 76,1		597924	188,06
		88,9		597825	175,67
		88,9 x 28 x 88,9		597931	183,81
		88,9 x 35 x 88,9		597948	180,33
		88,9 x 42 x 88,9		597955	187,98
		88,9 x 54 x 88,9		597962	190,94
		88,9 x 64,0 x 88,9		597979	209,43
		88,9 x 76,1 x 88,9		597986	195,34
		108,0		597832	201,74
		108,0 x 28 x 108,0		597993	203,02
		108,0 x 35 x 108,0		598006	211,85
		108,0 x 42 x 108,0		598013	214,43
		108,0 x 54 x 108,0		598020	217,36
		108,0 x 64,0 x 108,0		598037	245,22
		108,0 x 76,1 x 108,0		598044	220,32
		108,0 x 88,9 x 108,0		598051	226,19
	Prestabo-тройник, с SC-Contur, из оцинкованной стали с внутренней резьбой 1117.2	12 x 1/2 x 12	5	605230	14,49
		15 x 1/2 x 15	5	558888	8,95
		18 x 1/2 x 18	5	558895	9,41
		22 x 1/2 x 22	5	558901	9,81
		22 x 3/4 x 22	5	641962	10,75
		28 x 1/2 x 28	5	558918	11,42
		28 x 3/4 x 28	5	558925	12,51
		28 x 1 x 28		688134	21,06
		35 x 1/2 x 35	5	558932	16,04
		35 x 3/4 x 35	5	558949	17,53
		42 x 1/2 x 42		558956	24,03
		42 x 3/4 x 42		558963	27,1
		54 x 1/2 x 54		558970	27,82
		54 x 3/4 x 54		558987	29,61
	Prestabo XL-Prestabo тройник, с SC-Contur, из оцинкованной стали с внутренней резьбой 1117.2XL	64,0 x 3/4 x 64,0		598068	108,09
		76,1 x 3/4 x 76,1		598075	135,11
		88,9 x 3/4 x 88,9		598082	146,27
		108,0 x 3/4 x 108,0		598099	176,09
	Prestabo-крестовина, с SC-Contur, из оцинкованной стали 1148	18 x 15	2	601157	19,09
		22 x 15	2	601164	19,64
		28 x 15	2	601171	21,65
	Prestabo-переход с SC-Contur, из оцинкованной стали с наружной резьбой 1111	12 x 3/8	5	605247	6,86
		12 x 1/2	5	648626	6,86
		15 x 3/8	5	558994	6,88
		15 x 1/2	5	559007	6,88
		15 x 3/4	5	641979	8,32
		18 x 1/2	5	559014	7,2
		18 x 3/4	5	559021	7,49
		22 x 1/2	5	641986	9,47
		22 x 3/4	5	559038	7,97
		28 x 3/4	5	641993	11,75
		28 x 1	5	559045	10,5
		28 x 1 1/4	5	642006	12,21
		35 x 1 1/4	5	559052	13,51
		35 x 1 1/2	5	642013	13,66

		42 x 1 1/2		559069	16,04
		54 x 2		588663	25,49
	Prestabo XL-переход с SC-Contur, из оцинкованной стали с наружной резьбой 1111XL	64,0 x 2		629953	31,29
		64,0 x 2 1/2		629960	32,28
		76,1 x 2 1/2		629977	34,23
		88,9 x 3		629984	44,53
		108,0 x 4		629991	58,66
	Prestabo-переход, с SC-Contur, из оцинкованной стали с внутренней резьбой 1112	12 x 3/8	5	648633	6,86
		12 x 1/2	5	605254	6,86
		15 x 3/8	5	642136	6,88
		15 x 1/2	5	559557	6,88
		15 x 3/4	5	642143	8,32
		18 x 1/2	5	559090	7,01
		18 x 3/4	5	559106	7,49
		22 x 1/2	5	642150	9,47
		22 x 3/4	5	559113	7,97
		22 x 1	5	642167	9,41
		28 x 3/4	5	642181	11,63
		28 x 1	5	559120	10,9
		35 x 3/4	5	642198	13,89
		35 x 1 1/4	5	642204	15,31
		42 x 1 1/2		642211	20,47
		54 x 2		642228	32,25
	Prestabo XL-переход, с SC-Contur, из оцинкованной стали с внутренней резьбой 1112XL	64,0 x 2		630003	39,11
		64,0 x 2 1/2		630010	40,37
		76,1 x 2 1/2		630034	42,79
		88,9 x 3		630041	55,68
		108,0 x 4		630027	73,34
	Prestabo-вставка, из оцинкованной стали с наружной резьбой 1111.1	12 x 3/8	5	605261	6,86
		12 x 1/2	5	605278	6,86
		15 x 1/2	5	642044	6,88
		18 x 1/2	5	642051	7,22
		22 x 3/4	5	642082	8,2
		28 x 1	5	642099	11,75
	Prestabo-вставка, из оцинкованной стали с внутренней резьбой 1112.1	15 x 1/2	5	559137	7,01
		18 x 1/2	5	559144	7,86
		18 x 3/4	5	559151	7,95
		22 x 1/2	5	559168	8,12
		22 x 3/4	5	559175	8,51
	Prestabo-муфта, с SC-Contur, из оцинкованной стали 1115	12	10	604424	2,57
		15	10	557980	2,66
		18	10	557997	2,74
		22	10	558000	2,89
		28	5	558017	3,43
		35	5	558024	5,92
		42		558031	8,01
		54		558048	9,64
	Prestabo XL-муфта, с SC-Contur, из оцинкованной стали 1115XL	64,0		597726	50,04
		76,1		597733	53,52
		88,9		597740	61,62
		108,0		597757	79,61
	Prestabo-надвижная муфта, с SC-Contur, из оцинкованной стали	12	5	604431	2,63
		15	5	558055	2,84
		18	5	558062	3,01

	1115.5	22	5	558079	3,3
		28	5	558086	4,43
		35	5	558093	8,81
		42		558109	9,87
		54		558116	13,11
	Prestabo XL-надвижная муфта, из оцинкованной стали 1115.5XL	64,0		597764	80,62
		76,1		597771	87,5
		88,9		597788	98,47
		108,0		597795	118,2
	Prestabo-редукционная вставка, с SC-Contur, из оцинкованной стали 1115.1	15 x 12	10	605315	2,11
		18 x 12	10	605322	2,22
		18 x 15	10	558499	2,34
		22 x 12	10	605339	2,64
		22 x 15	10	558505	2,53
		22 x 18	10	558512	2,53
		28 x 15	5	558529	3,37
		28 x 18	10	558536	3,47
		28 x 22	10	558543	3,53
		35 x 15	5	642730	3,77
		35 x 22	5	558550	3,97
		35 x 28		558567	4,02
		42 x 22		642761	7,8
		42 x 28		642778	7,95
		42 x 35		558574	8,39
		54 x 22		558581	16,79
		54 x 28		558598	17,53
		54 x 35		642792	17,36
		54 x 42		558604	18,13
	Prestabo XL-редукционная вставка, с SC-Contur, из оцинкованной стали 1115.1XL	64,0 x 54		598105	50,04
		76,1 x 54		598129	47,36
		76,1 x 64,0		598112	52,85
		88,9 x 54		598136	57,47
		88,9 x 64,0		598143	65,33
		88,9 x 76,1		598150	62,14
		108,0 x 54		598167	62,08
		108,0 x 64,0		598174	72
		108,0 x 76,1		598181	66,09
		108,0 x 88,9		598198	68,6
	Sanpress-переходник, с SC-Contur бронза 2215.6	1 x 28	5	588564	65,59
		1 1/4 x 35		588328	98,02
	Prestabo-разъемное соединение, с SC-Contur, из оцинкованной стали с плоским уплотнением 1160	12	5	642358	17,42
		15	5	559304	17,61
		18	5	559311	20,18
		22	5	559328	25,41
		28	5	559335	41,18
		35	5	559342	57,43
		42		559359	84,62
		54		559366	134,98
	Prestabo-разъемное соединение, с SC-Contur, из оцинкованной стали с	15 x 1/2	5	559243	8,8
		22 x 3/4	5	559250	13,11
		22 x 1	5	642341	17,23

	переходом на HP 1165	28 x 1	5	559267	20,45
		35 x 1 1/4	5	559274	28,13
		42 x 1 1/2		559281	42,54
		54 x 2		559298	96,71
	Prestabo-разъемное соединение, с SC-Contur, из оцинкованной стали с ВР 1162	15 x 1/2	5	641849	9,41
		18 x 1/2	5	643454	12,51
		22 x 3/4	5	643461	14,06
		22 x 1	5	643478	16,21
		28 x 1	5	643485	21,75
		35 x 1 1/4		643492	30,16
		42 x 1 1/2		643508	45,45
		54 x 2		643515	102,98
	Prestabo-разъемное соединение, с SC-Contur, из оцинкованной стали с плоским уплотнением 1163	15 x 3/4	5	559182	6,4
		15 x 1	5	601058	6,71
		18 x 1	5	601065	6,94
		22 x 1	5	559199	8,34
		22 x 1 1/4	5	601072	10,46
		22 x 1 1/2	5	601089	11
		28 x 1 1/4	5	559205	11,06
		28 x 1 1/2	5	601102	11,32
		35 x 1 1/2	5	559212	16,63
		35 x 2	5	601119	22,19
		42 x 1 3/4		559229	23,57
		42 x 2		601126	33,71
		54 x 2 3/8		559236	33,86
		54 x 2 1/2		601133	41,96
	Prestabo-заглушка, с SC-Contur, из оцинкованной стали 1156	12	5	643577	5,96
		15	5	643584	5,44
		18	5	643591	5,75
		22	5	643607	6,11
		28	5	643614	9,06
		35		643621	10,29
		42		643638	20,25
		54		643645	22,71
			Prestabo XL- заглушка с SC-Contur, из оцинкованной стали 1156XL	64,0 x 3/4	
76,1 x 3/4				598259	105,16
88,9 x 3/4				598266	111,55
108,0 x 3/4				598273	129,88
					0
	Prestabo-заглушка, с SC-Contur, из оцинкованной стали 1157.1	12	10	605308	3,89
		15	10	559373	4,14
		18	10	559380	4,39
		22	5	559397	4,69
		28	5	559403	6,88
		35	5	559410	7,84
		42		559427	12,32
		54		559434	14,05
	Prestabo XL-заглушка, из оцинкованной стали 1157.1XL	64,0		598280	57,51
		76,1		598297	63,8
		88,9		598303	72,04
		108,0		598310	122,15
					0
	Prestabo-фланец, с SC-Contur из оцинкованной стали PN6	35 (DN 32)		642389	76,55
		42 (DN 40)		642396	94,24
		54 (DN 50)		642402	120,76

	1159.1				
	Prestabo XL-фланец, с SC-Contur из оцинкованной стали PN6 1159.1XL	64,0 (DN 50)		630058	131,4
		64,0 (DN 65)		629939	136,83
		76,1 (DN 65)		629946	164,45
		88,9 (DN 80)		629915	195,53
		108,0 (DN 100)		629922	231,62
	Prestabo-фланец, с SC-Contur из оцинкованной стали PN10/16 1159	35 (DN 32)		643546	76,55
		42 (DN 40)		643553	94,24
		54 (DN 50)		643560	120,76
	Prestabo XL-фланец, с SC-Contur из оцинкованной стали PN10/16 1159XL	64,0 (DN 65)		598204	148,42
		76,1 (DN 65)		598211	158,62
		88,9 (DN 80)		598228	187,98
		108,0 (DN 100)		598235	223,24
	Монтажный комплект для фланцевых соединений 2259.7	DN 25 (16) M12x65		494056	18,38
		DN 32-50 (16) M16x70		494063	29,6
		DN 32-65 (6) M12x50		651251	11,22
	Монтажный комплект для фланцевых соединений 2259.7XL	DN 65-100 (16) M16x70		494087	47,05
		DN 80-100 (6) M16x60		651268	24,92
	Prestabo-калибратор для снятия PP изоляции, 1158	15 + 22		586553	129,72
		18 + 28		586560	129,72
		35 + 42		586577	129,72
		54		588526	156,18
					0
	Ножи для калибратора 2шт. 1158.1	15-28		630201	33,89
		35-54		630218	33,89
	Уплотнительный EPDM элемент, температура 110° 2289	12 x 2,35	10	288600	0,67
		15 x 2,5	10	183400	0,46
		18 x 2,5	10	281595	0,62
		22 x 3	10	183523	0,62
		28 x 3	10	184452	0,67
		35 x 3	10	181208	0,93
		42 x 4	10	184940	1,65
		54 x 4	10	191153	2,21
	Уплотнительный EPDM элемент, температура 110° 2389XL	64,0 x 5		594312	4,45
		76,1 x 5		583705	6,25
		88,9 x 5		583712	10,5
		108,0 x 5		583699	16,76
	Уплотнительный FKM элемент, температура 140° 2286	12 x 2,35	5	459376	2,83
		15 x 2,5	5	459390	2,93
		18 x 2,5	5	459406	3,19

		22 x 3	5	459413	4,27
		28 x 3	5	459420	4,99
		35 x 3	5	459437	5,97
		42 x 4	5	459444	10,04
		54 x 4		459451	12,97
	Уплотнительный FKM элемент, температура 140° 2386XL	64,0 x 5		614461	13,81
		76,1 x 5		614485	15,98
		88,9 x 5		614478	14,83
		108,0 x 5		614492	21,9
	Прокладка для фланцевого перехода PN16 из AFM 34, без асбеста 2259.9	DN 32/PN 6	5	650131	3,71
		DN 40/PN 6	5	650148	4,53
		DN 50/PN 6	5	650551	5,66
		DN 20/PN 16	10	611309	8,19
		DN 25/PN 16	10	409128	8,65
		DN 32/PN 16	10	409135	8,75
		DN 40/PN 16	10	409142	8,75
		DN 50/PN 16	10	409258	8,8
	Прокладка для фланцевого перехода PN16 из AFM 34, без асбеста 2259.9XL	DN 65/PN 6	5	650575	7,19
		DN 80/PN 6	5	650582	9,13
		DN 100/PN 6	5	650599	11,13
		DN 65/PN 16	10	356293	9,65
		DN 80/PN 16	10	356309	9,93
		DN 100/PN 16	10	356316	16,55
	Заглушка из пластика 2259.1	15		611149	0,68
		18		612054	0,83
		22		612061	1,17
		28		612078	1,31
		35		612085	1,56
		42		612092	1,94
		54		612108	2,19
	Заглушка из пластика 2259.1XL	64,0		612115	2,48
		76,1		612122	2,72
		88,9		612139	2,97
		108,0		612146	3,94
	Маркер 2490.1			606121	2,86
	Распределитель 1149.7	15 x 12		664084	67,34
		15 x 15		664091	70,59
		18 x 12		664107	69,62
		18 x 15		664169	70,69
		22 x 12		664176	67,81
		22 x 15		664138	68,79
		28 x 12		664183	74,87
		28 x 15		664152	75,88